


金剛石激光焊接鋸片
通用型激光焊接鋸片

General purpose laser saw blades




MACHINE TYPE: Suitabel for Portable Hand-Held Circular Saw, Cut-off Gas Saw, Walk behind Saw

WORKINGPIECE: Professional dry & wet saw Blades for Marble, granite, concrete, blocks, medium-hard building bricks, paving stabs, concrete roof tiles, Masonry and other medium hard materials.

SIZE (Diameter x Arbor)	SIZE (Diameter x Arbor)	MAX RPM	Size of Segment	Quantity of Segment	STD PACK	PART #
4" x 7/8" - 20	105 x 22.23-20.0 mm	15,000	2.0 x 8/10 mm	8	10	21001
4-1/2" x 7/8" - 20	115 x 22.23-20.0 mm	13,300	2.0 x 8/10 mm	9	10	21014
5" x 7/8" - 20	125 x 22.23-20.0 mm	12,000	2.2 x 8/10 mm	10	10	21027
6" x 7/8"	150 x 22.23 mm	10,100	2.2 x 8/10 mm	12	10	21030
7" x 7/8"	180 x 22.23 mm	8,750	2.4 x 8/10 mm	13	10	21043
8" x 7/8"	200 x 22.23 mm	7,650	2.4 x 8/10 mm	14	10	21056
9" x 7/8"	230 x 22.23mm	6,600	2.6 x 8/10 mm	16	10	21069
10" x 1"	250 x 25.40 mm	6,100	2.6 x 8/10/12/14 mm	17-18	10	21072
12" x 2" - 1"	300 x 50.00 - 25.40 mm	5,100	3.0 x 8/10/12/14 mm	20-21	10	21085
14" x 2" - 1"	350 x 50.00 - 25.40 mm	4,400	3.2 x 8/10/12/14 mm	24	10	21098
16" x 2" - 1"	400 x 50.00 - 25.40 mm	3,900	3.4 x 8/10/12/14 mm	28	10	21101
18" x 2" - 1"	450 x 50.00 - 25.40 mm	3,400	3.6 x 8/10/12/14 mm	32	10	21114
20" x 2" - 1"	500 x 50.00 - 25.30 mm	3,100	3.8 x 8/10/12/14 mm	36	10	21127
22" x 2" - 1"	550 x 50.00 - 25.40 mm	2,800	4.0 x 8/10/12/14 mm	38	10	21130
24" x 2" - 1"	600 x 50.00 - 25.40 mm	2,600	4.2 x 8/10/12/14 mm	42	10	21143

金剛石激光焊接鋸片
激光雙波紋刀頭鋸片

Turbo Segmented Laser Saw Blades




MACHINE TYPE: Suitabel for Cut-off Gas Saw, Tile Saw

WORKINGPIECE: Professional cooler & quieter saw Blades for Marble, granite, concrete, blocks, medium-hard building bricks, paving stabs, concrete roof tiles, Masonry and other medium hard stone mater

SIZE (Diameter x Arbor)	SIZE (Diameter x Arbor)	MAX RPM	Size of Segment	Quantity of Segment	STD PACK	PART #
12" x 2" - 1"	300 x 50.00 - 25.40 mm	5,100	3.0 x 8/10/12/14 mm	20-21	10	21156
14" x 2" - 1"	350 x 50.00 - 25.40 mm	4,400	3.2 x 8/10/12/14 mm	24	10	21169
16" x 2" - 1"	400 x 50.00 - 25.40 mm	3,900	3.4 x 8/10/12/14 mm	28	10	21172
18" x 2" - 1"	450 x 50.00 - 25.40 mm	3,400	3.6 x 8/10/12/14 mm	32	10	21185

金剛石激光焊接鋸片
激光焊接切墻體鋸片

Laser Saw Blades for wall cutting




MACHINE TYPE: Suitabel for Wall Saw

WORKINGPIECE: Professional dry Blades for Blocks, medium-hard building bricks, paving stabs, concrete roof tiles, other medium-hard building bricks, Masonry and other medium hard stone materials.

SIZE (Diameter x Arbor)	SIZE (Diameter x Arbor)	MAX RPM	Size of Segment	Quantity of Segment	STD PACK	PART #
12" x 2" - 1"	300 x 50.00 - 25.40 mm	5,100	3.0 x 8/10/12/14 mm	20-21	10	21198
14" x 2" - 1"	350 x 50.00 - 25.40 mm	4,400	3.2 x 8/10/12/14 mm	24	10	21201
16" x 2" - 1"	400 x 50.00 - 25.40 mm	3,900	3.4 x 8/10/12/14 mm	28	10	61211
18" x 2" - 1"	450 x 50.00 - 25.40 mm	3,400	3.6 x 8/10/12/14 mm	32	10	61224

金剛石激光焊接鋸片
激光斜槽切瀝青鋸片

Laser Saw Blades for Asphalt Cut




MACHINE TYPE: Suitabel for Cut-off Gas Saw, Walk behind Saw

WORKINGPIECE: Professional dry & wet saw Blades for asphalt and Abrasive materials, asphalt over concrete, curved & green concrete. concrete roof tiles, other hard building bricks, Masonry, medium hard

SIZE (Diameter x Arbor)	SIZE (Diameter x Arbor)	MAX RPM	Size of Segment	Quantity of Segment	STD PACK	PART #
12" x 2" - 1"	300 x 50.00 - 25.40 mm	5,100	3.0 x 8/10/12/14 mm	20-21	10	61237
14" x 2" - 1"	350 x 50.00 - 25.40 mm	4,400	3.2 x 8/10/12/14 mm	24	10	61240
16" x 2" - 1"	400 x 50.00 - 25.40 mm	3,900	3.4 x 8/10/12/14 mm	28	10	61253
18" x 2" - 1"	450 x 50.00 - 25.40 mm	3,400	3.6 x 8/10/12/14 mm	32	10	61266
20" x 2" - 1"	500 x 50.00 - 25.30 mm	3,100	3.8 x 8/10/12/14 mm	36	10	61279

金剛石激光焊接鋸片
激光加高保護齒鋸片

Laser Deep Segmented Saw Blades




MACHINE TYPE: Suitabel for Cut-off Gas Saw, Walk behind Saw

WORKINGPIECE: Professional dry & wet saw Blades for asphalt and Abrasive materials, asphalt over concrete, curved & green concrete. concrete roof tiles, other hard building bricks, Masonry, medium hard

SIZE (Diameter x Arbor)	SIZE (Diameter x Arbor)	MAX RPM	Size of Segment	Quantity of Segment	STD PACK	PART #
12" x 2" - 1"	300 x 50.00 - 25.40 mm	5,100	3.0 x 8/10/12/14 mm	20-21	10	61282
14" x 2" - 1"	350 x 50.00 - 25.40 mm	4,400	3.2 x 8/10/12/14 mm	24	10	61295
16" x 2" - 1"	400 x 50.00 - 25.40 mm	3,900	3.4 x 8/10/12/14 mm	28	10	61308
18" x 2" - 1"	450 x 50.00 - 25.40 mm	3,400	3.6 x 8/10/12/14 mm	32	10	61411
20" x 2" - 1"	500 x 50.00 - 25.30 mm	3,100	3.8 x 8/10/12/14 mm	36	10	61424
22" x 2" - 1"	550 x 50.00 - 25.40 mm	2,800	4.0 x 8/10/12/14 mm	38	10	61437
24" x 2" - 1"	600 x 50.00 - 25.40 mm	2,600	4.2 x 8/10/12/14 mm	42	10	61440

金剛石激光焊接鋸片
激光對齒混凝土鋸片

Laser Saw Blades for Concrete Cut




MACHINE TYPE: Suitabel for Portable Hand-Held Circular Saw, Cut-off Gas Saw, Walk behind Saw

WORKINGPIECE: Professional saw blades concrete, reinforced concrete, Curved & Green concrete, special steel core, abrasive blocks, morta, other hard building bricks, Masonry and other medium hard sto

SIZE (Diameter x Arbor)	SIZE (Diameter x Arbor)	MAX RPM	Size of Segment	Quantity of Segment	STD PACK	PART #
4" x 7/8" - 20	105 x 22.23-20.0 mm	15,000	2.0 x 8/10 mm	8	10	61453
4-1/2" x 7/8" - 20	115 x 22.23-20.0 mm	13,300	2.0 x 8/10 mm	9	10	61466
5" x 7/8" - 20	125 x 22.23-20.0 mm	12,000	2.2 x 8/10 mm	10	10	61479
6" x 7/8"	150 x 22.23 mm	10,185	2.2 x 8/10 mm	12	10	61482
7" x 7/8"	180 x 22.23 mm	8,730	2.4 x 8/10 mm	13	10	61495
8" x 7/8"	200 x 22.23 mm	7,640	2.4 x 8/10 mm	14	10	61508
9" x 7/8"	230 x 22.23mm	6,600	2.6 x 8/10 mm	16	10	61511
10" x 1"	250 x 25.40 mm	6,100	2.6 x 8/10/12/14 mm	17-18	10	21527
12" x 2" - 1"	300 x 50.00 - 25.40 mm	5,100	3.0 x 8/10/12/14 mm	20-21	10	21530
14" x 2" - 1"	350 x 50.00 - 25.40 mm	4,400	3.2 x 8/10/12/14 mm	24	10	21543
16" x 2" - 1"	400 x 50.00 - 25.40 mm	3,900	3.4 x 8/10/12/14 mm	28	10	21556
18" x 2" - 1"	450 x 50.00 - 25.40 mm	3,400	3.6 x 8/10/12/14 mm	32	10	21569
20" x 2" - 1"	500 x 50.00 - 25.30 mm	3,100	3.8 x 8/10/12/14 mm	36	10	21572
22" x 2" - 1"	550 x 50.00 - 25.40 mm	2,800	4.0 x 8/10/12/14 mm	38	10	21585
24" x 2" - 1"	600 x 50.00 - 25.40 mm	2,600	4.2 x 8/10/12/14 mm	42	10	21598

金剛石激光焊接鋸片
激光焊接快速切割片

Laser Weld Free Cutting Saw Blades




MACHINE TYPE: Suitabel for Portable Hand-Held Circular Saw, Cut-off Gas Saw, Walk behind Saw

WORKINGPIECE: Professional dry Blades for curved & reinforced concrete, Asphalt over concrete, abrasive blocks and bricks, pavers & stones, special steel core, hard building bricks, Masonry, other hard st

SIZE (Diameter x Arbor)	SIZE (Diameter x Arbor)	MAX RPM	Size of Segment	Quantity of Segment	STD PACK	PART #
10" x 1"	250 x 25.40 mm	6,100	2.6 x 8/10/12/14 mm	17-18	10	21601
12" x 2" - 1"	300 x 50.00 - 25.40 mm	5,100	3.0 x 8/10/12/14 mm	20-21	10	21614
14" x 2" - 1"	350 x 50.00 - 25.40 mm	4,400	3.2 x 8/10/12/14 mm	24	10	21627
16" x 2" - 1"	400 x 50.00 - 25.40 mm	3,900	3.4 x 8/10/12/14 mm	28	10	21630
18" x 2" - 1"	450 x 50.00 - 25.40 mm	3,400	3.6 x 8/10/12/14 mm	32	10	21643
20" x 2" - 1"	500 x 50.00 - 25.30 mm	3,100	3.8 x 8/10/12/14 mm	36	10	21656

金剛石激光焊接鋸片
激光波紋齒混凝土片

Turbo Segmented Blade for Concrete




MACHINE TYPE: Suitabel for Portable Hand-Held Circular Saw, Cut-off Gas Saw, Walk behind Saw

WORKINGPIECE: Professional dry Blades for curved & reinforced concrete, Asphalt over concrete, abrasive blocks and bricks, pavers & stones, special steel core, hard building bricks, Masonry, other hard st

SIZE (Diameter x Arbor)	SIZE (Diameter x Arbor)	MAX RPM	Size of Segment	Quantity of Segment	STD PACK	PART #
4" x 7/8" - 20	105 x 22.23-20.0 mm	15,000	2.0 x 8/10 mm	8	10	21669
4-1/2" x 7/8" - 20	115 x 22.23-20.0 mm	13,300	2.0 x 8/10 mm	9	10	21672
5" x 7/8" - 20	125 x 22.23-20.0 mm	12,000	2.2 x 8/10 mm	10	10	21685
6" x 7/8"	150 x 22.23 mm	10,185	2.2 x 8/10 mm	12	10	21698
7" x 7/8"	180 x 22.23 mm	8,730	2.4 x 8/10 mm	13	10	21701
8" x 7/8"	200 x 22.23 mm	7,640	2.4 x 8/10 mm	14	10	21714
9" x 7/8"	230 x 22.23mm	6,600	2.6 x 8/10 mm	16	10	21727
10" x 1"	250 x 25.40 mm	6,100	2.6 x 8/10/12/14 mm	17-18	10	21730
12" x 2" - 1"	300 x 50.00 - 25.40 mm	5,100	3.0 x 8/10/12/14 mm	20-21	10	21743
14" x 2" - 1"	350 x 50.00 - 25.40 mm	4,400	3.2 x 8/10/12/14 mm	24	10	21756
16" x 2" - 1"	400 x 50.00 - 25.40 mm	3,900	3.4 x 8/10/12/14 mm	28	10	21769
18" x 2" - 1"	450 x 50.00 - 25.40 mm	3,400	3.6 x 8/10/12/14 mm	32	10	21872
20" x 2" - 1"	500 x 50.00 - 25.30 mm	3,100	3.8 x 8/10/12/14 mm	36	10	21885
22" x 2" - 1"	550 x 50.00 - 25.40 mm	2,800	4.0 x 8/10/12/14 mm	38	10	21898
24" x 2" - 1"	600 x 50.00 - 25.40 mm	2,600	4.2 x 8/10/12/14 mm	42	10	21901

金剛石激光焊接鋸片
激光S刀頭混凝土片

S-Shape Segment Blades for Concret





MACHINE TYPE: Suitabel for Portable Hand-Held Circular Saw, Cut-off Gas Saw, Walk behind Saw

WORKINGPIECE: Professional dry Blades for curved & reinforced concrete, Asphalt over concrete, abrasive blocks and bricks, pavers & stones, special steel core, hard building bricks, Masonry, other hard st

SIZE (Diameter x Arbor)	SIZE (Diameter x Arbor)	MAX RPM	Size of Segment	Quantity of Segment	STD PACK	PART #
4" x 7/8" - 20	105 x 22.23-20.0 mm	15,000	2.0 x 8/10 mm	8	10	21914
4-1/2" x 7/8" - 20	115 x 22.23-20.0 mm	13,300	2.0 x 8/10 mm	9	10	21927
5" x 7/8" - 20	125 x 22.23-20.0 mm	12,000	2.2 x 8/10 mm	10	10	21930
6" x 7/8"	150 x 22.23 mm	10,185	2.2 x 8/10 mm	12	10	21943
7" x 7/8"	180 x 22.23 mm	8,730	2.4 x 8/10 mm	13	10	21956
8" x 7/8"	200 x 22.23 mm	7,640	2.4 x 8/10 mm	14	10	21969
9" x 7/8"	230 x 22.23mm	6,600	2.6 x 8/10 mm	16	10	21972
10" x 1"	250 x 25.40 mm	6,100	2.6 x 8/10/12/14 mm	17-18	10	21985
12" x 2" - 1"	300 x 50.00 - 25.40 mm	5,100	3.0 x 8/10/12/14 mm	20-21	10	21998
14" x 2" - 1"	350 x 50.00 - 25.40 mm	4,400	3.2 x 8/10/12/14 mm	24	10	22001
16" x 2" - 1"	400 x 50.00 - 25.40 mm	3,900	3.4 x 8/10/12/14 mm	28	10	22014
18" x 2" - 1"	450 x 50.00 - 25.40 mm	3,400	3.6 x 8/10/12/14 mm	32	10	22027
20" x 2" - 1"	500 x 50.00 - 25.30 mm	3,100	3.8 x 8/10/12/14 mm	36	10	22030
22" x 2" - 1"	550 x 50.00 - 25.40 mm	2,800	4.0 x 8/10/12/14 mm	38	10	22043
24" x 2" - 1"	600 x 50.00 - 25.40 mm	2,600	4.2 x 8/10/12/14 mm	42	10	22056

金剛石激光焊接鋸片
激光焊接切磚瓦鋸片

Laser Welded Tile - Cut Saw Blades




MACHINE TYPE: Suitabel for Tile Saw

WORKINGPIECE: Professional wet saw blades for glazed tile, roof tile, hard brick, green concrete, abrasive blocks, Masonry building materials, abrasive blocks and bricks, pavers & stones, special steel cor

SIZE (Diameter x Arbor)	SIZE (Diameter x Arbor)	MAX RPM	Size of Segment	Quantity of Segment	STD PACK	PART #
12" x 2" - 1"	300 x 50.00 - 25.40 mm	5,100	3.0 x 8/10/12/14 mm	20-21	10	22069
14" x 2" - 1"	350 x 50.00 - 25.40 mm	4,400	3.2 x 8/10/12/14 mm	24	10	22072
16" x 2" - 1"	400 x 50.00 - 25.40 mm	3,900	3.4 x 8/10/12/14 mm	28	10	22085
18" x 2" - 1"	450 x 50.00 - 25.40 mm	3,400	3.6 x 8/10/12/14 mm	32	10	22098

金剛石激光焊接鋸片
激光焊斜齒瀝青鋸片

Laser Welded Asphalt Saw Blades




MACHINE TYPE: Suitabel for Cut-off Gas Saw, Walk behind Saw

WORKINGPIECE: Professional dry Blades for Asphalt, green Concrete, Asphalt over concrete, abrasive blocks, mortar, other abrasive materials, Masonry building materials, abrasive blocks and bricks, pavers

SIZE (Diameter x Arbor)	SIZE (Diameter x Arbor)	MAX RPM	Size of Segment	Quantity of Segment	STD PACK	PART #
12" x 2" - 1"	300 x 50.00 - 25.40 mm	5,100	3.0 x 8/10/12/14 mm	20-21	10	22101
14" x 2" - 1"	350 x 50.00 - 25.40 mm	4,400	3.2 x 8/10/12/14 mm	24	10	22114
16" x 2" - 1"	400 x 50.00 - 25.40 mm	3,900	3.4 x 8/10/12/14 mm	28	10	22127
18" x 2" - 1"	450 x 50.00 - 25.40 mm	3,400	3.6 x 8/10/12/14 mm	32	10	22130
20" x 2" - 1"	500 x 50.00 - 25.30 mm	3,100	3.8 x 8/10/12/14 mm	36	10	22143

金剛石激光焊接鋸片
激光鋼筋混凝土鋸片

Laser Reinforced Concrete Saw Blade



MACHINE TYPE: Suitabel for Cut-off Gas Saw, Walk behind Saw

WORKINGPIECE: Professional wet Blades for Curved & Reinforced Concrete, Green concrete, abrasive blocks, mortar, other abrasive materials, other abrasive materials, Masonry building materials, pavers &

SIZE (Diameter x Arbor)	SIZE (Diameter x Arbor)	MAX RPM	Size of Segment	Quantity of Segment	STD PACK	PART #
12" x 2" - 1"	300 x 50.00 - 25.40 mm	5,100	3.0 x 8/10/12/14 mm	20-21	10	22156
14" x 2" - 1"	350 x 50.00 - 25.40 mm	4,400	3.2 x 8/10/12/14 mm	24	10	22169
16" x 2" - 1"	400 x 50.00 - 25.40 mm	3,900	3.4 x 8/10/12/14 mm	28	10	22172
18" x 2" - 1"	450 x 50.00 - 25.40 mm	3,400	3.6 x 8/10/12/14 mm	32	10	22185
20" x 2" - 1"	500 x 50.00 - 25.40 mm	3,100	3.8 x 8/10/12/14 mm	36	10	22198